

MAJOR PRODUCT CHANGES

OVERVIEW

The 2010 Crown Victoria Police Interceptor provides the best mix of size, durability, handling, performance and value making it the dominant police application vehicle.

2010 POLICE INTERCEPTOR ORDER COMBINATIONS

- **Police Interceptor (3.27 Axle)**
 - Body Code: P7B
 - Order Code: 720A
- **Police Interceptor (3.55 Axle)**
 - Body Code: P7B
 - Order Code: 730A
- **Police Interceptor w/Street Appearance Package (3.27 Axle)**
 - Body Code: P7B
 - Order Code: 750A
- **Police Interceptor w/Street Appearance Package (3.55 Axle)**
 - Body Code: P7B
 - Order Code: 770A

Product Changes and Features Availability

Features, options and package content subject to change. Please check www.fmcdealer.com or Dealer eStore for the most current information.

MAJOR PRODUCT SUMMARY

The 2010 Crown Victoria Police Interceptor provides the best mix of size, durability, handling, performance and value making it the dominant police application vehicle.

The following equipment is standard as indicated. Each series includes the standard equipment of the previous series, except where additions/exceptions are noted:

Police Interceptor 3.27 Axle ¹	Police Interceptor 3.55 Axle ²	Police Interceptor Street Appearance 3.27 Axle ¹	Police Interceptor Street Appearance 3.55 Axle ²
<p><u>Powertrain/Functional</u></p> <ul style="list-style-type: none"> • Axle ratio – 3.27 • Brakes – power Anti-lock Braking System (ABS) • Engine – 4.6L FFV OHC EFI V8 • Engine Idle Meter <p><u>Exterior</u></p> <ul style="list-style-type: none"> • Hub caps • Mirrors – power • Moldings – color keyed bodyside, rear • Spare tire/wheel – conventional spare • Tires – P235/55Rx17 BSW • Wheels – 17" steel <p><u>Interior</u></p> <ul style="list-style-type: none"> • Air conditioning – manual • Audio – AM/FM stereo • Defroster – rear window • Floor covering – heavy duty rubber • Headliner – removable • Lamps <ul style="list-style-type: none"> – Dome map lamp (5" center-moun) – Dual beam map lamp • Light bar connector • Power Adjustable Pedals • Power Distribution Connector • Seats <ul style="list-style-type: none"> – Anti-Stab Plate (driver & passenger front seats) – Cloth buckets front/vinyl bench in rear – Manual driver/passenger adjust • Windows – power driver express-down feature <p><u>Safety/Security</u></p> <ul style="list-style-type: none"> • Air bags – 2nd generation driver & passenger • Air bags – Side (driver & passenger) • Battery saver feature • Coolant Recovery System • Fail safe cooling • Safety belts – 3-point active • Tire Pressure Monitoring System (TPMS) 	<p><i>All Base content, plus:</i></p> <p><u>Powertrain/Functional</u></p> <ul style="list-style-type: none"> • Axle ratio – 3.55 	<p><i>All previous model content, plus:</i></p> <p><u>Powertrain/Functional</u></p> <ul style="list-style-type: none"> • Axle ratio – 3.27 <p><u>Exterior</u></p> <ul style="list-style-type: none"> • Moldings – color keyed bodyside, front • Wheel covers – 17" deluxe <p><u>Packages</u></p> <ul style="list-style-type: none"> • Street Appearance Package (60B) 	<p><i>All previous model content, plus:</i></p> <p><u>Powertrain/Functional</u></p> <ul style="list-style-type: none"> • Axle ratio – 3.55

Please see Standard Equipment pages for more details.

¹ 2010MY Crown Vic Police Interceptors equipped with a 3.27 axle are speed limited to 129 MPH.

² 2010MY Crown Vic Police Interceptors equipped with a 3.55 axle are speed limited to 119 MPH.

Product Features Availability

Features, options and package content subject to change.

★ = New for this model year.

STANDARD EQUIPMENT

The following items are standard on every 2010MY POLICE INTERCEPTOR vehicle:

POWERTRAIN/FUNCTIONAL

- Air induction system – unique police air induction system
- Ball joints – low friction, non-greasable upper ball joints
- Battery – maintenance-free 78-AH, 750 CCA
- Body on frame construction
- Brakes
 - Brake shift interlock isolation from tail lights
 - Manual parking brake release
 - Power Anti-lock Braking System (ABS)
 - Single stroke parking brake
- Drive shaft – aluminum
- Drivetrain – Rear Wheel Drive (RWD)
- Engine
 - 4.6L FFV OHC SEFI V8 (250 HP)
 - Engine Idle Meter
 - Engine oil cooler
- Exhaust system – stainless steel, dual
- Fail safe cooling
- Fuel tank – 19 gallon
- Generator – high output, 200-amps max output, 132-amps at idle (80 deg F)
- Heat ducts – rear floor-mounted
- Hood assist – gas cylinder
- Horn – dual note
- Ignition system – electronic distributorless; coil on plug ignition system
- Jack – scissors
- Multi-speed electrodrive fan
- Steering
 - Power rack & pinion
 - Power steering oil cooler
 - Variable-assist power steering
- Suspension
 - Front & rear stabilizer bars
 - Heavy duty frame
 - Heavy duty nitrogen pressurized monotube shock absorbers
 - Heavy duty suspension
 - Short-long arm front suspension
 - Watt's linkage rear suspension
- Transmission
 - 4-Speed automatic transmission
 - Oil-to-air transmission oil cooler
- Voltage regulator – electronic, integral to generator

EXTERIOR

- Bumpers – body color, concealed w/one-piece full wrap cover
- Decklid – low liftover design
- Glass – solar tinted
- Grille – black, center Ford oval design
- Mirrors – black fold-away dual remote control power
- Tires
 - 17" spare tire/wheel – conventional size
 - P235/55R17 A/S BSW
- Wheels – heavy duty steel rims (17"x7.5")

INTERIOR

- Air conditioning – manual
- Audio
 - AM/FM stereo
 - Radio speakers – door-mounted, located above armrests
 - Rear windshield radio antenna
- Door locks – power
- Floor covering – heavy duty rubber
- Footrest – driver footrest
- Glove box – illuminated lockable
- Instrument panel
 - 140-mph certified calibration speedometer
 - Analog gauges instrument cluster
 - Easy access labeled fuse panel
- Lights
 - Dome & luggage compartment lamps
 - Dual beam map lamp
 - Light bar connector, 40-amp battery circuit at front right corner of trunk
- Mirror – day/night inside rearview
- Power point – rear power access point (power junction box providing power to trunk-mounted equipment)
- Seats
 - 2-Way head restraints
 - Anti-Stab Plates
 - Cloth buckets in front (manual adjust), vinyl bench in rear
- Steering wheel – tilt
- Sunvisors – cloth covered
- Trim
 - Color keyed front & rear scuff plates
 - Dual ashtray-mounted cupholders
 - Integral front door map pockets
 - Luxury full carpet luggage compartment trim
 - Removable headliner w/high intensity dome lamp
- Trunk – deep well
- Windows
 - Defroster grill w/integral vertical ribs
 - Power, express-down feature on driver side
 - Rear window defroster

SAFETY/SECURITY

- Air bags
 - Side (driver & passenger)
 - Driver & front passenger
 - Dual 2nd generation front supplemental restraint system
- Battery saver (turns off lights after 30 minutes)
- Belt-Minder® System
- Child safety latches on rear doors
- Emergency interior trunk release
- Personal Safety System®w/dual-stage air bags, 2nd generation – driver & right front passenger including safety belt pretensioners, seat position & weight sensors
- Side door intrusion beams
- Tire Pressure Monitoring System (TPMS)

The following features are standard on select all-new 2010MY POLICE INTERCEPTOR vehicles:

POWERTRAIN/FUNCTIONAL	720A	730A	750A	770A
Axle ratio	3.27	3.55	3.27	3.55
KEY EXTERIOR FEATURES				
<u>Cladding</u>				
Color keyed bodyside rear moldings	•	•		
Color keyed bodyside moldings (installed)			•	•
<u>Wheel covers</u>				
Hub caps	•	•		
Deluxe			•	•

FUNCTIONAL EQUIPMENT

AXLE AVAILABILITY

Axle Ratio = 3.27 (720A/750A)

Axle Ratio = 3.55 (730A/770A)

WHEEL AVAILABILITY



17" Styled Steel Wheel Cover – 750A, 770A

OPTIONAL EQUIPMENT

		Police Interceptor w/3.27 axle (non-limited slip)	Police Interceptor w/3.55 axle (limited slip)	Police Interceptor Street Appearance w/3.27 axle (non-limited slip)	Police Interceptor Street Appearance w/3.55 axle (limited slip)
	Body Code Order Code	P7B 720A	P7B 730A	P7B 750A	P7B 770A
POWERTRAIN/FUNCTIONAL					
Limited Slip Differential (opt. on 3.27)	45C	O	—	O	—
Traction Control	552	O	—	O	—
KEY EXTERIOR OPTIONS					
License Plate Bracket – Front	153	O	O	O	O
Locking Gas Cap	98G	O	O	O	O
Mirrors – Heated	61K	O	O	O	O
Remote Keyless Entry Key Fob w/out Key Pad	14R	O	O	O	O
Chrome Grille	66C	O	O	—	—
Moldings					
Color Keyed Bodyside, Front (installed)	96A	O	O	—	—
Color Keyed Bodyside, Front (uninstalled – shipped in trunk)	96B	O	O	—	—
Color Keyed Bodyside, (Front and Rear uninstalled –shipped in trunk)	96C	O	O	—	—
Wheel Covers – Full	64N	O	O	S	S
KEY INTERIOR OPTIONS					
Audio					
AM/FM/Single CD	58Z	O	O	O	O
Radio Delete (deletes Std AM/FM stereo)	58Y	O	O	O	O
Decklid Release on Door & I/P – Ignition Powered	61H	O	O	O	O
Floor Covering – Carpet (incl. front & rear floor mats)	128	O	O	O	O
Seats					
Cloth Buckets/Cloth Rear – Manual Driver/Passenger	H	O	O	O	O
Cloth Split Bench (50/50) / Cloth Rear – Power Driver (w/ Power Lumbar) / Manual Passenger	P	P-41A	P-41A	P-41A	P-41A
Power Driver w/ Power Lumbar (incl. in 41A Comfort & Convenience Group)	21A	O/P-41A	O/P-41A	O/P-41A	O/P-41A
Smokers Package (lighting element)	63B	O	O	O	O
GROUPS & PACKAGES (See Packaged Options/Emissions Page for Pkg. Content)					
Automatic Fire Suppression System w/Manual Override	60S	O	O	O	O
Ballistic Door Panels – Driver Front Door Only	90L	O	O	O	O
Ballistic Door Panels – Driver & Pass Front Doors	90B	O	O	O	O
Base Lighting Package (NA w/179 Police Power Pigtail, 65A, 65U, 65W & 68P Pkgs. Deletes rear power access point & light bar connector)	65P	O	O	O	O
Base Police Prep Package (NA w/179 Police Power Pigtail, 65P, 68P, 65W & 65U Pkgs. Deletes rear power access point & light bar connector) ¹	65A	O	O	O	O
Comfort & Convenience Group w/Single CD player	41A	O	O	O	O
Complete Police Prep Package (NA w/179 Police Power Pigtail, 65A, 65P, 65W & 65U Pkgs. Deletes rear power access point & light bar connector)	68P	O	O	O	O
Lamp Pre-Wire Group	476	O	O	O	O
Radio Suppression Package (8 ground straps)	53M	O	O	O	O
Ready for the Road Package (NA w/179 Police Power Pigtail, 68P, 65P, 65W & 65A Pkgs. Deletes rear power access point & light bar connector) ¹	65U	O	O	O	O
Street Appearance Package	60B	—	—	S	S
Visibility Package (NA w/179 Police Power Pigtail, 65U, 65A, 68P & 65P Pkgs. Deletes rear power access point & light bar connector) ¹	65W	O	O	O	O

¹ Not available with the standard power distribution box

★ = New for this model year.

2010 CROWN VICTORIA POLICE INTERCEPTOR OPTIONAL EQUIPMENT (CONT'D.)

		Police Interceptor w/3.27 axle (non-limited slip)	Police Interceptor w/3.55 axle (limited slip)	Police Interceptor Street Appearance w/3.27 axle (non-limited slip)	Police Interceptor Street Appearance w/3.55 axle (limited slip)
	Body Code Order Code	P7B 720A	P7B 730A	P7B 750A	P7B 770A
OTHER OPTIONS					
Emissions – 50 States ^{1, 2}	425	F	—	F	—
Daytime Running Lights	77D	O	O	O	O
Engine Block Heater	41H	O	O	O	O
Hoses – Silicone w/Aircraft Clamps	177	O	O	O	O
Keyed Alike – Key Code 1284X	432	O	O	O	O
Keyed Alike – Key Code 1294X	435	O	O	O	O
Keyed Alike – Key Code 0135X	436	O	O	O	O
Keyed Alike – Key Code 1435X	437	O	O	O	O
Keyed Alike – Key Code 0576X	438	O	O	O	O
Keyed Alike – Key Code 0151X	439	O	O	O	O
Lamps					
Courtesy Disable	478	O	O	O	O
Dome/Map (5" center-mount) Delete	54M	O	O	O	O
Driver Side Spot Assembly	51A	O	O	O	O
Dual Spot Assembly	51Y	O	O	O	O
Lateral Bow Reinforcement	185	O	O	O	O
Rear Door Handles Inoperable / Lock Operable	67R	O	O	O	O
Rear Door Handles and Locks Inoperable ³	67B	O	O	O	O
Paint					
Two-tone #1	952	O	O	—	—
Two-tone #2	953	O	O	—	—
Two-tone #3	955	O	O	—	—
Two-tone #4	956	O	O	—	—
Police Power Pigtail – Plugs into police power connector. Provides power and vehicle signals for use by aftermarket equipment (NA w/65A, 65P, 68P, 65W, 65U)	179	O	O	O	O
Radio – 2-Way Pre-Wire Connector	946	O	O	O	O
Speed Control (Incl. in 41A Comfort & Convenience Group)	525	O/P-41A	O/P-41A	O/P-41A	O/P-41A
Trunk Pack™ (w/Kevlar® front liner)	14T	O	O	O	O
Windows – Rear Power Delete (rear switches only, operable from front driver side switches)	948	O	O	O	O
Wiring					
Grille Lamp, Siren & Speaker	172	O	O	O	O
Horn Siren Wiring Prep Package	175	O	O	O	O
Spot Lamp Prep, Driver Side	51B	O	O	O	O
Spot Lamp Prep, Dual Side	51Z	O	O	O	O
Wiring, Roof					
Hole in Center of Roof (Incl. lateral bow reinforcement)	187	O	O	O	O
No Hole in Roof	189	O	O	O	O

¹ 50 States Emissions is standard to CA, CT, PA, RI, NY, NJ, OR, WA, VT, MA and ME

² 3.55 axle ratio is not available with 50 States Emissions (option 425)

³ Warning: Rear door locks are only operational electrically from the driver's seat. Access to rear seat passengers in an emergency may be severely restricted with this option.

COLOR & TRIM AVAILABILITY

		Interior Color		
		Charcoal Black	Light Camel	Medium Light Stone
POLICE INTERCEPTOR	Cloth Front Buckets/Vinyl Rear	IN	IJ	IL
	Cloth Front Buckets/Cloth Rear	HN	HJ	HL
	Cloth Split Bench/Cloth Rear	PN	PJ	PL
EXTERIOR COLOR	Code	Availability		
POLICE				
Arizona Beige Metallic	AQ	•	•	•
Medium Brown Metallic	BU		•	
Smokestone Metallic	HG	•	•	•
Dark Toreador Red Metallic	JL	•	•	•
Silver Birch Metallic	JP	•		•
Norsea Blue Metallic	KR	•	•	•
Dark Blue	LK	•		•
Royal Blue	LM	•		•
Light Blue Metallic	LN	•		•
Light Ice Blue Metallic	LS	•		•
Ultra Blue Metallic	MM	•		•
Light Grey	TM	•		•
Silver Grey Metallic	TN	•		•
Black	UA	•	•	•
Vibrant White	WT	•	•	•
Medium Titanium Metallic	YG	•		•
STREET APPEARANCE PACKAGE (60B)				
Smokestone Metallic	HG	•	•	•
Dark Toreador Red Metallic	JL	•	•	•
Silver Birch Metallic	JP	•		•
Norsea Blue Metallic	KR	•	•	•
Light Ice Blue Metallic	LS	•		•
Black	UA	•	•	•
Vibrant White	WT	•	•	•

WARNING: Aftermarket police equipment (such as communications gear) must not be mounted in the air bag deployment zone. Vehicles equipped with bench seats may not have sufficient room to mount such equipment. Bucket seats may be required. See Police/Fleet owner guide supplement for available Police equipment mounting zones. Advise all customers of these facts.

NOTE: Exterior colors are available in four different two-tone configurations. Accent color can be any of the available exterior colors.

AUTOMATIC FIRE SUPPRESSION SYSTEM (60S)**Availability:**

- Optional for all arrays

Includes:

- Automatic Fire Suppression System with manual activation switch includes:
 - Manual activation switch for Fire Suppression System mounted on headliner
 - Fire Suppression System status indicator light on the instrument cluster

NOTE: See www.fleet.ford.com website for complete Fire Suppression System information

BASE LIGHTING PACKAGE¹ (65P)**Availability:**

- Optional for all arrays

Not available with:

- Complete Police Prep Package (68P)
- Visibility Package (65W)
- Base Police Prep Package (65A)
- Ready for the Road Package (65U)

Includes:

- (2) front strobe bulbs and (2) rear strobe bulbs, installed in marker lights and tail light lenses
- Wiring harness including the following items:
 - (6) strobe cables – shielded and grounded pre-run to marker lights, tail light lenses and front grille
 - Glove Box Power Distribution Center 50-amps, fused in engine compartment. (5) power and ground wires for customer use. (5) fuses (2 battery and 3 ignition powered)
 - Trunk Power Distribution Center 50-amps, fused in engine compartment. (4) power and ground wires for customer use, (4) fuses (2 battery and 2 ignition powered)
 - 50-Amp battery circuit and ground accessible at console base only
 - 50-Amp battery circuit and ground accessible at console or trunk for radio communications
 - (2) extra wires pre-run to front of vehicle accessible at console or trunk
 - Horn/siren relay circuit available at console or trunk
 - (4) extra wires pre-run from the engine compartment to the console (one wire is heavy gauge for additional battery or ground connection)
 - (4) extra wires pre-run from the console to the trunk
- Alternating headlight flasher – control wire accessible at console for connection to customer supplied positive control switch box
- Strobe power supply, 6-head with front shut-off
- (2) high intensity flashing rear deck LED lights with matching interior color housings
- Headlamp flasher module to interconnect directly with crown harness

Deletes:

- Light bar connector and rear power access point

NOTE: Ford Police Interceptor Packages (65A, 65P, 65U, 65W and 68P) are covered under new warranty, 3 years/36,000 miles except where noted. Strobe bulb warranty, 1 year/ 36,000 miles. Siren/speaker warranty, 2 year/36,000 miles.

¹ Customers are required to order rear deck LED and grille strobe lens colors that are appropriate for their state. Red/Blue rear LEDs and grille strobes are standard. Other color combinations may be requested at time of order by notifying Masterack/Crown Technical Assistance @ 1-866-402-6838

BASE POLICE PREP PACKAGE (65A)**Availability:**

- Optional for all arrays

Not available with:

- Base Lighting Package (65P)
- Complete Police Prep Package (68P)
- Visibility Package (65W)
- Police Power Pigtail (179)
- Ready for the Road Package (65U)

Includes:

- (2) front strobe bulbs and (2) rear strobe bulbs, installed in marker lights and tail light lenses
- Wiring harness including the following items:
 - (6) strobe cables – shielded and grounded pre-run to marker lights, tail light lenses and front grille
 - Glove Box Power Distribution Center 50-amps, fused in engine compartment. (5) power and ground wires for customer use. (5) fuses (2 battery and 3 ignition powered)
 - Trunk Power Distribution Center 50-amps, fused in engine compartment. (4) power and ground wires for customer use, (4) fuses (2 battery and 2 ignition powered)
 - 50-Amp battery circuit and ground accessible at console base only
 - 50-Amp battery circuit and ground accessible at console base or trunk. Avail. in trunk from pigtail harness
 - (2) 50-Amp battery circuits and ground accessible at trunk only. Avail. in trunk from pigtail harness
 - 50-Amp battery circuit and ground accessible at console or trunk for radio communications
 - 30-Amp ignition circuit accessible at trunk only. Avail. in trunk from pigtail harness
 - Siren/speaker wiring pre-run to front of vehicle with waterpack connector. Avail. in trunk from pigtail harness
 - (2) extra wires pre-run to front of vehicle accessible at console or trunk
 - Horn/siren relay circuit avail. at console or trunk
 - (4) extra wires pre-run from the engine compartment to the console (one circuit is heavy gauge for additional battery or ground connection)
 - (4) extra wires pre-run from the console to the trunk
- Alternating headlight flasher – control wire accessible at console for connection to customer supplied positive control switch box

Deletes:

- Light bar connector and rear power access point

COMFORT AND CONVENIENCE GROUP (41A)**Availability:**

- Optional for all arrays

Includes:

- 6-way Power driver seat
- Speed control
- Single CD player

COMPLETE POLICE PREP PACKAGE (68P)**Availability:**

- Optional for all arrays

Not available with:

- Cloth Split Bench Seat (P)
- Police Power Pigtail (179)
- Ready for the Road Package (65U)
- Base Police Prep Package (65A)
- Visibility Package (65W)
- Base Lighting Package (65P)

Includes:

- (2) front strobe bulbs and (2) rear strobe bulbs, installed in marker lights and tail light lenses
 - Wiring harness including the following items:
 - (6) strobe cables – shielded and grounded pre-run to marker lights, tail light lenses and front grille
 - Glove Box Power Distribution Center 50-amps, fused in engine compartment. (5) power and ground wires for customer use. (5) fuses (2 battery and 3 ignition powered)
 - Trunk Power Distribution Center 50-amps, fused in engine compartment. (4) power and ground wires for customer use, (4) fuses (2 battery and 2 ignition powered)
 - 50-Amp battery circuit and ground accessible at console base only
 - 50-Amp battery circuit and ground accessible at console base or trunk. Avail. in trunk from pigtail harness
 - (2) 50-Amp battery circuits and ground accessible at trunk only. Avail. in trunk from pigtail harness
 - 50-Amp battery circuit and ground accessible at console or trunk for radio communications
 - 30-Amp ignition circuit accessible at trunk only. Avail. in trunk from pigtail harness
 - Siren/speaker wiring pre-run to front of vehicle with waterpack connector. Avail. in trunk from pigtail harness
 - (2) extra wires pre-run to front of vehicle accessible at console or trunk
 - Horn/siren relay circuit available at console or trunk
 - (4) extra wires pre-run from the engine compartment to the console (one wire is heavy gauge for additional battery or ground connection)
 - (4) extra wires pre-run from the console to the trunk
 - Alternating headlight flasher – control wire accessible at console for connection to customer supplied positive control switch box
 - Console mounting platform
 - Center wiring conduit
 - Hidden manual door lock plunger located in door frame (order 948 to maintain rear window operation from front switches)
 - Trunk air circulation fan
 - Permanent rubber tie down strap
 - Dual trunk storage boxes
 - Rear trunk communications service tray, slides on heavy duty tracks. Shipped with secured spare tire
- Deletes:**
- Lightbar connector and rear power access point

LAMP PRE-WIRE GROUP (476)**Availability:**

- Optional for all arrays

Includes:

- Package tray warning lamps pre-wire
- Inner decklid lamp pre-wire

RADIO SUPPRESSION PACKAGE (53M)**Availability:**

- Optional for all arrays

Provides radio suppression coverage for the following areas:

- Engine to dash panel
- Hood to body
- Decklid to body
- Engine to frame
- Tail pipe to frame (LH/RH)
- Body to frame rear (LH/RH)

READY FOR THE ROAD PACKAGE² (65U)**Availability:**

- Optional for all arrays

Not available with:

- Cloth Split Bench Seat (P)
- Police Power Pigtail (179)
- Complete Police Prep Package (68P)
- Base Lighting Package (65P)
- Visibility Package (65W)
- Base Police Prep Package (65A)

Includes:

- (2) front strobe bulbs and (2) rear strobe bulbs, installed in marker lights and tail light lenses
 - Wiring harness including the following items:
 - (6) strobe cables – shielded and grounded pre-run to marker lights, tail light lenses and front grille
 - Glove Box Power Distribution Center 50-amps, fused in engine compartment. (5) power and ground wires for customer use. (5) fuses (2 battery and 3 ignition powered)
 - Trunk Power Distribution Center 50-amps, fused in engine compartment. (4) power and ground wires for customer use, (4) fuses (2 battery and 2 ignition powered)
 - 50-Amp battery circuit and ground accessible at console base only
 - 50-Amp battery circuit and ground accessible at console or trunk for radio communications
 - (2) extra wires pre-run to front of vehicle accessible at console or trunk
 - (4) extra wires pre-run from the engine compartment to the console (one wire is heavy gauge for additional battery or ground connection)
 - (4) extra wires pre-run from the console to the trunk
 - Alternating headlight flasher
 - Console-mounting platform
 - Hidden manual door lock plunger located in door frame (order 948 to maintain rear window operation from the front switch)
 - Trunk air circulation fan
 - Dual trunk storage boxes
 - Rear trunk communication service tray, slides on heavy duty tracks. Shipped with secured spare tire
 - Strobe power supply, 6-head with front shut-off
 - (2) high intensity flashing rear deck LED lights with matching interior color housings
 - Lighting relay center for use with lighting and siren controller – controls up to (8) lighting functions
 - Lighting and siren controller – programmable with 4-position slide switch, (13) illuminated buttons and (5) siren tones (microphone kit not included)
 - RJ11 serial cable pre-run from console to trunk
 - Remote siren amplifier
 - (2) grille strobe lights
 - 100-Watt siren/speaker
- Deletes:**
- Lightbar connector and rear power access point

² Customers are required to order rear deck LED and grille strobe lens colors that are appropriate for their state. Red/Blue rear LEDs and grille strobes are standard. Other color combinations may be requested at time of order by notifying Masterack/Crown Technical Assistance @ 1-866-402-6838

SPOT LAMP WIRING PREP (51B/51Z)**Availability:**

- Optional for Police Interceptor with 3.27/3.55 axles (720A/730A)

Not available with:

- Spot Lamp (51A/51Y)

Includes:

- Contains wiring, brackets and body preparation for installation of spot lamp kit purchased from manufacturer
- Access hole in A-pillar
- Mounting bracket in place
- A-pillar moldings trimmed
- Wiring and fuse located in standard fuse panel
- Door edge reworked and trimmed

STREET APPEARANCE PACKAGE (60B)**Availability:**

- Standard for Police Interceptor Street Appearance with 3.27/3.55 axles (750A/770A)

Includes:

- Color keyed retail bodyside moldings
- Rear appliqué with color keyed panels
- "Crown Victoria" badge
- Chrome grille
- Chrome door handle bezel
- Chrome tail lamp appliqué
- 17" wheel covers, full

TRUNK PACK™ (14T)**Availability:**

- Optional for all arrays

Includes:

- Drop-in box with a tough plastic shell made of High Density Polyethylene (HDPE)
- It both aligns Police equipment laterally in the trunk and utilizes a Kevlar® lining on the fore side of the box to reduce the risk of Police equipment penetrating into the back seat or fuel tank in high-speed rear impacts

VISIBILITY PACKAGE³ (65W)**Availability:**

- Optional for all arrays

Not available with:

- Cloth Split Bench Seat (P)
- Police Power Pigtail (179)
- Base Police Prep Package (65A)
- Base Lighting Package (65P)
- Complete Police Prep Package (68P)
- Ready for the Road Package (65U)

Includes:

- (2) front strobe bulbs and (2) rear strobe bulbs, installed in marker lights and tail light lenses
- Wiring harness including the following items:
 - (6) strobe cables – shielded and grounded pre-run to marker lights, tail light lenses and front grille
 - Glove Box Power Distribution Center – 50-amps, fused in engine compartment. (5) power and ground wires for customer use. (5) fuses (2 battery and 3 ignition powered)
 - Trunk Power Distribution Center – 50-amps, fused in engine compartment. (4) power and ground wires for customer use, (4) fuses (2 battery and 2 ignition powered)
 - 50-Amp battery circuit and ground accessible at console base only
 - 50-Amp battery circuit and ground accessible at console or trunk for radio communications
 - (2) extra wires pre-run to front of vehicle accessible at console or trunk
 - (4) extra wires pre-run from the engine compartment to the console (one wire is heavy gauge for additional battery or ground connection)
 - (4) extra wires pre-run from the console to the trunk
- Alternating headlight flasher
- Console-mounting platform
- Hidden manual door lock plunger located in door frame (order 948 to maintain rear window operation from the front switch)
- Trunk air circulation fan
- Dual trunk storage boxes
- Rear trunk communication service tray, slides on heavy duty tracks. Shipped with secured spare tire
- Strobe power supply, 6-head with front shut off
- (2) high intensity flashing rear deck LED lights with matching interior color housings
- Lighting relay center for use with visibility switch panel – controls up to (8) lighting functions
- Visibility switch panel including 4-position slide switch and (4) rocker switches

Deletes:

- Lightbar connector and rear power access points

NOTE: Ford Police Interceptor Packages (65A, 65P, 68P, 65W and 65U) are covered under new warranty, 3 years/36,000 miles, except where noted. Strobe bulb warranty, 1 year/36,000 miles. Siren/speaker warranty, 2 years/36,000 miles.

³ Customers are required to order rear deck LED and grille strobe lens colors that are appropriate for their state. Red/Blue rear LEDs and grille strobes are standard. Other color combinations may be requested at time of order by notifying Masterack/Crown Technical Assistance @ 1-866-402-6838

2010 CROWN VICTORIA POLICE INTERCEPTOR PACKAGED OPTIONS/EMISSIONS

Vehicle Special Order (VSO)

FLEET ONLY. See www.fmcdealer.com for current VSO Order Guide. This live guide includes VSO option codes, descriptions and pricing. Email vsomail@ford.com or call 1.800.34.FLEET, menu 4 with any VSO questions you may have.

MISCELLANEOUS

COV Required..... **79V**
Priced DORA **C09**

50 State Emissions System

Standard to CA, CT, PA, RI, NY, NJ, OR, WA, VT, MA and ME **425**

CALIFORNIA EMISSIONS SYSTEM NOT REQUIRED

Control code for units either shipped to California Emissions States dealers or ordered by California Emissions States dealers for registration in non-California States locations..... **423**

CALIFORNIA PUBLIC SERVICE/EMERGENCY VEHICLE EXCEPTION

This exemption may only apply in certain states. Ordering dealer is responsible to contact the proper state authorities for clarification on qualifying exempted vehicles for registration. Only available on units sold for authorized public service or emergency service use. Must also use Code 423 when ordering. **936**

ENGINE BLOCK HEATER

Standard and only available in AK, MN, ND, SD, MT, WI and WY states. Other states available via FCSD.. **41H**
NOTE: Fleet Only – Engine block heater optional in all states with valid FIN code.

★ = New for this model year.

POWERTRAIN/DIMENSIONS**FUEL ECONOMY**

ENGINE DISPL.	TRANSMISSION	50 STATES			
		F.E. LABEL ADJUSTED		ESTIMATED ANNUAL FUEL COST	MEMO: UNADJUSTED COMBINED
		CITY	HIGHWAY		
RWD					
4.6L FFV OHC SEFI V8	4-Speed Automatic O/D	TBD	TBD	TBD	TBD

ENGINE HORSEPOWER AND TORQUE RATINGS

ENGINE DISPL.	TRANSMISSION	NOMINAL COMPRESSION RATIO	50 STATES	
			HORSEPOWER	TORQUE
			H.P. @ RPM	FT. LB. @ RPM
ALL				
4.6L FFV OHC SEFI V8	4-Speed Automatic O/D	9.6:1	250 @ 4900	297 @ 4000

DIMENSIONS*

INTERIOR DIMENSIONS	Measurements
Head Room (in.)	
1 st Row	39.5
2 nd Row	37.8
Shoulder Room (in.)	
1 st Row	60.6
2 nd Row	60.0
Leg Room Maximum Extension (in.)	
1 st Row	41.6
2 nd Row (min.)	38.0
Total Passenger Volume (cu. ft.)	106.4
Luggage Capacity (cu. ft.)	20.6
EXTERIOR DIMENSIONS (in.)	
Wheelbase	114.7
Overall Length	212
Overall Width	78.3
Overall Height	58.3
Tread (Front)	62.8
Tread (Rear)	65.6

*All dimensions are preliminary figures